



**CORiTEC**<sup>®</sup> **TOOLS**  
dental@imes-icore.com

# Cutters & grinders | 3 mm shaft

Customized solutions optimized for the particular materials and equipment

**T1/T6 - 3.0 | 3.0 mm**  
radius milling tool (l = 15 mm)

T1	Ti
T6	CoCr

3.0 mm Ø 3 mm

up to 15 mm

Blades

Art.-No. 530029 3003

**T12 - 1.0 | 3.0 mm**  
radius milling tool (single blade, slide coated)

T12	PMMA
	WAX
	PEEK

1.0 mm Ø 3 mm

up to 25 mm

Blade

Art.-No. 530004 1003

**T2/T7 - 2.0 | 3.0 mm**  
radius milling tool (l = 12 mm)

T2	Ti
T7	CoCr

2.0 mm Ø 3 mm

up to 15 mm

Blades

Art.-No. 530029 2003

**T12/T14 - 1.0 | 3.0 mm**  
radius milling tool

T12	PMMA
	WAX
T14	Zr

1.0 mm Ø 3 mm

up to 25 mm

Blades

Art.-No. 530016 1003

**T3/T8 - 1.5 | 3.0 mm**  
radius milling tool (l = 12 mm)

T3	Ti
T8	CoCr

1.5 mm Ø 3 mm

up to 15 mm

Blades

Art.-No. 530029 1503

**T13/T40/T50 - 2.5 | 3.0 mm**  
radius milling tool (diamond coated)

T13	Zr
T40	SINT
T50	COMP

2.5 mm Ø 3 mm

up to 25 mm

Blades

Art.-No. 530013 2503

**T4/T9 - 1.0 | 3.0 mm**  
radius milling tool (l = 9 mm)

T4	Ti
T9	CoCr

1.0 mm Ø 3 mm

up to 15 mm

Blades

Art.-No. 530029 1003

**T14/T41/T51 - 1.0 | 3.0 mm**  
radius milling tool (diamond coated)

T14	Zr
T41	SINT
T51	COMP

1.0 mm Ø 3 mm

up to 25 mm

Blades

Art.-No. 530013 1003

**T5/T10/T17 - 1.5 | 3.0 mm**  
shaft milling tool (l = 15 mm), universal

T5	Ti
T10	CoCr
T17	PMMA
	WAX
	Zr

1.5 mm Ø 3 mm

up to 25 mm

Blades

Art.-No. 530001 1503

**T15/T42/T52 - 0.6 | 3.0 mm**  
radius milling tool (conical)

T15	PMMA
	WAX
	Zr
T42	SINT
T52	COMP

0.6 mm Ø 3 mm

up to 25 mm

Blades

Art.-No. 526016 0603

**T11 - 2.5 | 3.0 mm**  
radius milling tool (single blade, slide coated)

T11	PMMA
	WAX
	PEEK

2.5 mm Ø 3 mm

up to 25 mm

Blade

Art.-No. 530004 2503

**T16 - 1.5 | 3.0 mm**  
radius milling tool (l = 15 mm)

T16	PMMA
	WAX
	Zr

1.5 mm Ø 3 mm

up to 15 mm

Blades

Art.-No. 530016 1503

**T11/T13 - 2.5 | 3.0 mm**  
radius milling tool

T11	PMMA
	WAX
T13	Zr

2.5 mm Ø 3 mm

up to 25 mm

Blades

Art.-No. 530016 2503

**T19 - 0,5 | 3.0 mm**  
shaft milling tool (l = 4 mm), universal

T19	UNIVERSAL*
-----	------------

0.5 mm Ø 3 mm

up to 15 mm

Blades

Art.-No. 530001 0503

250i Loader PRO  
150i  
or10/or10+



# Cutters & grinders | 3 mm shaft

Customized solutions optimized for the particular materials and equipment

**T20 - 0.6 | 3.0 mm**  
radius milling tool (conical)

Ti  
CoCr

0.6 mm Ø 3 mm

up to 15 mm

Blades

Art.-No. 530003 0603

**T32 - 0.6 | 3.0 mm**  
radius milling tool long (l = 12 mm)

PMMA  
WAX  
Zr

0.6 mm Ø 3 mm

up to 25 mm

Blades

Art.-No. 530012 0603

**T21 - 2.5 | 3.0 mm**  
radius grinding tool (diamond)

glass ceramics

2.5 mm Ø 3 mm

Art.-No. 530005 2503

**T33/T43/T53 - 0.3 | 3.0 mm**  
radius milling tool (conical)

PMMA  
WAX  
Zr  
SINT  
COMP

0.3 mm Ø 3 mm

up to 25 mm

Blades

Art.-No. 530016 0303

**T22 - 1.0 | 3.0 mm**  
radius grinding tool (diamond)

glass ceramics

1.0 mm Ø 3 mm

Art.-No. 530005 1003

**T37 - 1.5 | 3.0 mm**  
torus milling tool (r = 0,08 mm, l = 20 mm)

PMMA  
WAX  
Zr

1.5 mm Ø 3 mm

Blades

Art.-No. 530035 1503

**T23 - 0.6 | 3.0 mm**  
radius grinding tool (conical, diamond)

glass ceramics

0.6 mm Ø 3 mm

Art.-No. 530005 0603

**T58/59 - 2.0 | 3.0 mm**  
highspeed milling tool short (l=15 mm)

Ti  
CoCr

2.0 mm Ø 3 mm

up to 15 mm

Blades

Art.-No. 530031 2003

**T24 - 1.5 | 3.0 mm**  
radius grinding tool (diamond)

glass ceramics

1.5 mm Ø 3 mm

Art.-No. 530005 1503

**T98 - 2.5 | 3.0 mm**  
shaft milling tool (l = 20 mm, three blades)

CALIBR.

2.5 mm Ø 3 mm

Blades

Art.-No. 530024 2503

**T31 - 3.0 | 3.0 mm**  
shaft milling tool (single blade, slide coated)

PMMA  
WAX  
PEEK

3.0 mm Ø 3 mm

up to 30 mm

Blade

Art.-No. 530012 3003

# Cutters & grinders | 6 mm shaft

Customized solutions optimized for the particular materials and equipment

**T1/T6 - 3.0 | 6.0 mm**  
radius milling tool short (l = 15 mm)

T1	Ti
T6	CoCr

3.0 mm Ø      6 mm      up to 15 mm  
Blades

Art.-No. 526029 3006

**T12 - 1.0 | 6.0 mm**  
radius milling tool (single blade, slide coated)

T12	PMMA
	WAX
	PEEK

1.0 mm Ø      6 mm      up to 25 mm  
Blade

Art.-No. 530004 1006

**T2/T7 - 2.0 | 6.0 mm**  
radius milling tool short (l = 12 mm)

T2	Ti
T7	CoCr

2.0 mm Ø      6 mm      up to 15 mm  
Blades

Art.-No. 526029 2006

**T12/T14 - 1.0 | 6.0 mm**  
radius milling tool

T12	PMMA
	WAX
T14	Zr

1.0 mm Ø      6 mm      up to 25 mm  
Blades

Art.-No. 526019 1006

**T3/T8 - 1.5 | 6.0 mm**  
radius milling tool short (l = 12 mm)

T3	Ti
T8	CoCr

1.5 mm Ø      6 mm      up to 15 mm  
Blades

Art.-No. 526029 1506

**T13/T40/T50 - 2.5 | 6.0 mm**  
radius milling tool (diamond coated)

T13	Zr
T40	SINT
T50	COMP

2.5 mm Ø      6 mm      up to 25 mm  
Blades

Art.-No. 526013 2506

**T4/T9 - 1.0 | 6.0 mm**  
radius milling tool short (l = 9 mm)

T4	Ti
T9	CoCr

1.0 mm Ø      6 mm      up to 15 mm  
Blades

Art.-No. 526029 1006

**T14/T41/T51 - 1.0 | 6.0 mm**  
radius milling tool (diamond coated)

T14	Zr
T41	SINT
T51	COMP

1.0 mm Ø      6 mm      up to 25 mm  
Blades

Art.-No. 526013 1006

**T5/T10 - 1.5 | 6.0 mm**  
shaft milling tool short (l = 12 mm, four blades)

T5	Ti
T10	CoCr

1.5 mm Ø      6 mm      up to 15 mm  
Blades

Art.-No. 526002 1506

**T15/T42/T52 - 0.6 | 6.0 mm**  
radius milling tool (conical)

T15	PMMA
	WAX
	Zr
T42	SINT
T52	COMP

0.6 mm Ø      6 mm      up to 25 mm  
Blades

Art.-No. 526019 0606

**T11 - 2.5 | 6.0 mm**  
radius milling tool (single blade, slide coated)

T11	PMMA
	WAX
	PEEK

2.5 mm Ø      6 mm      up to 25 mm  
Blade

Art.-No. 530004 2506

**T16 - 1.5 | 6.0 mm**  
radius milling tool long (l = 15 mm)

T16	PMMA
	WAX
	PEEK

1.5 mm Ø      6 mm      up to 25 mm  
Blades

Art.-No. 526019 1506

**T11/T13 - 2.5 | 6.0 mm**  
radius milling tool

T11	PMMA
	WAX
T13	Zr

2.5 mm Ø      6 mm      up to 25 mm  
Blades

Art.-No. 526019 2506

**T17 - 1.5 | 6.0 mm**  
shaft milling tool (l = 15 mm)

T17	PMMA
	WAX
	Zr

1.5 mm Ø      6 mm      up to 25 mm  
Blades

Art.-No. 526001 1506

650i  
350i X PRO  
350i PRO+  
350i PRO  
250i PRO+



# Cutters & grinders | 6 mm shaft

Customized solutions optimized for the particular materials and equipment

**T18 - 0.5 | 6.0 mm**  
radius milling tool (l = 4 mm)

T18

UNIVERSAL\*

0.5 mm Ø

6 mm

up to 15 mm

Blades

Art.-No. 526026 0506

**T26 - 3.0 | 6.0 mm**  
radius milling tool long (l = 20 mm)

T26

Ti

CoCr

3.0 mm Ø

6 mm

16 - 20 mm

Blades

Art.-No. 526030 3006

**T19 - 0.5 | 6.0 mm**  
shaft milling tool (l = 4 mm)

T19

UNIVERSAL\*

0.5 mm Ø

6 mm

up to 15 mm

Blades

Art.-No. 526001 0506

**T27 - 2.0 | 6.0 mm**  
radius milling tool long (l = 16 mm)

T27

Ti

CoCr

2.0 mm Ø

6 mm

16 - 20 mm

Blades

Art.-No. 526030 2006

**T20 - 0.6 | 6.0 mm**  
radius milling tool (conical)

T20

Ti

CoCr

0.6 mm Ø

6 mm

up to 15 mm

Blades

Art.-No. 526003 0606

**T28 - 1.5 | 6.0 mm**  
radius milling tool long (l = 15 mm)

T28

Ti

CoCr

1.5 mm Ø

6 mm

16 - 20 mm

Blades

Art.-No. 526030 1506

**T21 - 2.5 | 6.0 mm**  
radius grinding tool (diamond)

T21

glass ceramics

2.5 mm Ø

6 mm

Art.-No. 526005 2506

**T29 - 1.0 | 6.0 mm**  
radius milling tool long (l = 11 mm)

T29

Ti

CoCr

1.0 mm Ø

6 mm

16 - 20 mm

Blades

Art.-No. 526030 1006

**T22 - 1.0 | 6.0 mm**  
radius grinding tool (diamond)

T22

glass ceramics

1.0 mm Ø

6 mm

Art.-No. 526005 1006

**T30 - 4.0 | 6.0 mm**  
shaft milling tool long (l = 32 mm, single blade, slide coated)

T30

PMMA

WAX

PEEK

4.0 mm Ø

6 mm

up to 30 mm

Blade

Art.-No. 526012 4006

**T23 - 0.6 | 6.0 mm**  
radius grinding tool (conical, diamond)

T23

glass ceramics

0.6 mm Ø

6 mm

Art.-No. 526005 0606

**T32 - 0.6 | 6.0 mm**  
radius milling tool long (l = 12 mm)

T32

PMMA

WAX

Zr

0.6 mm Ø

6 mm

up to 25 mm

Blades

Art.-No. 526012 0606

**T24 - 1.5 | 6.0 mm**  
radius grinding tool (diamond)

T24

glass ceramics

1.5 mm Ø

6 mm

Art.-No. 526005 1506

**T33/ T43/ T53 - 0.3 | 6.0 mm**  
radius milling tool (conical)

T33

T43

T53

PMMA

WAX

Zr

SINT

COMP

0.3 mm Ø

6 mm

up to 25 mm

Blades

Art.-No. 526019 0306

650i

350i X PRO

350i PRO+

350i PRO


250i PRO+

# Cutters & grinders | 6 mm shaft

Customized solutions optimized for the particular materials and equipment

**T34 - 3.0 | 6.0 mm**  
radius milling tool long (l = 27 mm)

PMMA  
WAX




3.0 mm Ø 6 mm

up to 30 mm  
Blades

Art.-No. 526012 3006

**T63 - 1.5 | 6.0 mm**  
torus milling tool (r = 0,08 mm, l = 7 mm, two blades)

Ti  
CoCr




1.5 mm Ø 6 mm

up to 15 mm  
Blades

Art.-No. 526025 1506

**T35 - 2.0 | 6.0 mm**  
radius milling tool long (l = 20 mm)

PMMA  
WAX




2.0 mm Ø 6 mm

up to 30 mm  
Blades

Art.-No. 526012 2006

**T64 - 1.5 | 6.0 mm**  
torus milling tool (r = 0,08 mm, l = 15 mm, two blades)

Ti  
CoCr




1.5 mm Ø 6 mm

up to 15 mm  
Blades

Art.-No. 526028 1506

**T36 - 4.0 | 6.0 mm**  
radius milling tool long (l = 31 mm)

PMMA  
WAX




4.0 mm Ø 6 mm

up to 30 mm  
Blades

Art.-No. 530019 4006

**T67 - 2.0 | 6.0 mm**  
shaft milling tool short (l = 7 mm, four blades)

Ti  
CoCr




2.0 mm Ø 6 mm

up to 15 mm  
Blades

Art.-No. 526002 2006

**T37 - 2.0 | 6.0 mm**  
radius milling tool long (l = 20 mm)

PMMA  
WAX  
Zr




1.5 mm Ø 6 mm

up to 30 mm  
Blades

Art.-No. 530035 1506

**T68 - 1.5 | 6.0 mm**  
shaft milling tool long (l = 15 mm, four blades)

Ti  
CoCr




1.5 mm Ø 6 mm

up to 15 mm  
Blades

Art.-No. 526021 1506

**T60 - 3.0 | 6.0 mm**  
highspeed milling tool short (l=15 mm)

Ti




3.0 mm Ø 6 mm

up to 15 mm  
Blades

Art.-No. 530031 3006

**T69 - 1.5 | 6.0 mm**  
shaft milling tool (l = 7 mm, four blades)

Ti  
CoCr




1.5 mm Ø 6 mm

up to 15 mm  
Blades

Art.-No. 530032 1506

**T61 - 3.0 | 6.0 mm**  
Quattro speed milling tool (l = 15 mm)

CoCr




3.0 mm Ø 6 mm

up to 15 mm  
Blades

Art.-No. 526025 3006

**T71 - 3.0 | 6.0 mm**  
Ironbiter, milling tool (l = 15 mm)

CoCr




3.0 mm Ø 6 mm

up to 15 mm  
Blades

Art.-No. 530025 3006

**T62 - 2.0 | 6.0 mm**  
torus milling tool (r = 0,2 mm, l = 16 mm, four blades)

Ti  
CoCr



2.0 mm Ø 6 mm

up to 15 mm  
Blades

Art.-No. 526025 2006

**T80 - 2.5 | 6.0 mm**  
drilling tool (l = 22 mm)

Ti  
CoCr



2.5 mm Ø 6 mm

up to 20 mm  
Drill

Art.-No. 526023 2506

650i

350i X PRO

350i PRO+

350i PRO

250i PRO+

# Cutters & grinders | 6 mm shaft

Customized solutions optimized for the particular materials and equipment

**T81 - 1.5 | 6.0 mm**  
drilling tool (l = 18 mm)

Ti
CoCr

1.5 mm Ø      6 mm

up to 20 mm ↑

Drill

Art.-No. 526023 1506

**T121 - Ø 1.6 x 0.7 | 6.0 mm**  
T-tool 90° (d = 0.65 mm, l = 7.5 mm, three blades)

Ti
CoCr

1.6 mm Ø      6 mm

Blades

Art.-No. 530040 1606

**T82 - 2.65 | 6.0 mm**  
drilling tool (l = 21 mm)

Ti
CoCr

2.65 mm Ø      6 mm

bis 20 mm ↑

Drill

Art.-No. 526031 26506

**T122 - Ø 1.7 x 0.7 | 6.0 mm**  
T-tool 90° (d = 0.65 mm, l = 8.0 mm, three blades)

Ti
CoCr

1.7 mm Ø      6 mm

Blades

Art.-No. 530040 1706

**T83 - 2.25 | 6.0 mm**  
drilling tool (l = 21 mm)

Ti
CoCr

2.25 mm Ø      6 mm

bis 20 mm ↑

Drill

Art.-No. 526032 22506

**T123 - Ø 1.8 x 1.0 | 6.0 mm**  
T-tool 90° (d = 0.9 mm, l = 7.1 mm, three blades)

Ti
CoCr

1.8 mm Ø      6 mm

Blades

Art.-No. 530040 1806

**T98 - 2.5 | 6.0 mm**  
shaft milling tool (l = 20 mm, three blades)

CALIBR.
---------

2.5 mm Ø      6 mm

Blades

Art.-No. 526024 2506

**T124 - Ø 2.0 x 1.0 | 6.0 mm**  
T-tool 90° (d = 1.0 mm, l = 9.5 mm, three blades)

Ti
CoCr

2.0 mm Ø      6 mm

Blades


Art.-No. 530040 2006

**T103 - M2 | 6.0 mm**  
Thread milling tool

Ti
CoCr

M2      6 mm

Art.-No. 526040 2006



650i

350i X PRO

350i PRO+

350i PRO

250i PRO+




# Cutters & grinders

Customized solutions optimized for the particular materials and equipment

T112 - 1.5 | 6.0 mm  
shaft milling tool (single blade)

T112

Aligner



1.5 mm  $\varnothing$  6 mm

Blade

Art.-No. 526041 1506



# Sales and support partner worldwide



Represented for you in over 100 countries.

imes-icore® GmbH has been a leading manufacturer and technology partner since 2002 in the field of dental CAD/CAM systems and solutions.

With its unique range of dental milling and grinding systems imes-icore® offers a perfect selection for all individual requirements of dental laboratories, milling centres and dental practices of all sizes.

Our “Open-System” product philosophy makes it possible to easily integrate our milling machines into your existing workflow and to integrate them with your open scanners and your CAD/CAM software. We are open for your material selection.

imes-icore® GmbH

Fon +49 (0) 66 72/898 228

Fax +49 (0) 66 72/898 222

dental@imes-icore.com